

CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION
OFFICE OF THE STATE FIRE MARSHAL
FIRE ENGINEERING - BUILDING MATERIALS LISTING PROGRAM

LISTING SERVICE

LISTING No. 7165-1288:119 Page 1 of 1

CATEGORY: Control Units (Non High-Rise)

LISTEE: Gamewell, 60 Pleasant Street, Ashland, MA 01721
Contact: *Ray Wood (508) 231-1400 Fax (508) 2321-0900

DESIGN: Models ZANS 400 and ZANS 401. Noncoded or marchtime; local, auxiliary and remote station service; power-limited option; automatic, manual, waterflow and sprinkler supervisory service. System Components

30630	Common Control Motherboard
30631	Power Management Card
30632	Alarm/Trouble Card
30633	D2 Plug-In Alarm Indicating Card
30635	Z1 Alarm Initiating Card
30636	D1 Plug-In Option Card
30261-05	SMB Shunt Type Master Box Card
30634	ZD Zone Motherboard
30770	ZOD1 Single Zone Module
30759	Surge Protection Module
30261-04	Local Energy Master Box Card (LEMB)
30278-02	Line Reversal Option Card
30279-01	Marchtime Option Card
30719	Verification Module
30709	Limited Energy Module
30689	Auxiliary Polarity Reversal Card
30840	ZS Zone Supervisory Module

INSTALLATION: In accordance with listee's printed installation instructions and applicable codes and ordinances.

MARKING: Listee's name, model number and UL label.

APPROVAL: Listed as a control unit for use with separately listed compatible initiating and indicating devices.

This control unit does not generate a temporal pattern signal. If the distinctive three-pulse Temporal Pattern Fire Alarm Evacuation Signal (for total evacuation) in accordance with NFPA 72, 1999 Edition is required, the control unit must be used with appliances that can generate the temporal pattern signal. Refer to manufacturer's Installation Manual for details.

NOTE: Formerly 7165-0064:116

*Rev. 06-11-2003



This listing is based upon technical data submitted by the applicant. CSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other suitable information sources.

Date Issued:

JUNE 11, 2003

*Listing Expires **June 30, 2004***

Authorized By:

DIANE K. AREND, Senior Deputy
Program Manager